

**REFERENCES**

- Ali K, Camps M, Pearce WP, Ji H, Rückle T, Kuehn N, Pasquali C, Chabert C, Rommel C, Vanhaesebroeck B. Isoform-specific functions of phosphoinositide 3-kinases: p110 delta but not p110 gamma promotes optimal allergic responses *in vivo*. *J Immunol*. 2008 Feb 15; 180(4):2538-44.
- Pinho V, de Castro Russo R, Amaral FA, de Sousa LP, Barsante MM, de Souza DG, Alves-Filho JC, Cara DC, Hayflick JS, Rommel C, Ruckle T, Rossi AG, Teixeira MM. Tissue- and stimulus-dependent role of phosphatidylinositol 3-kinase isoforms for neutrophil recruitment induced by chemoattractants *in vivo*. *J Immunol*. 2007 Dec 1; 179(11):7891-8.
- Rommel C, Camps M, Ji H. PI3K delta and PI3K gamma: partners in crime in inflammation in rheumatoid arthritis and beyond? *Nat Rev Immunol*. 2007 Mar; 7(3):191-201.
- Billottet C, Grandage VL, Gale RE, Quattropiani A, Rommel C, Vanhaesebroeck B, Khwaja A. A selective inhibitor of the p110delta isoform of PI 3-kinase inhibits AML cell proliferation and survival and increases the cytotoxic effects of VP16. *Oncogene*. 2006 Oct 26; 25(50):6648-59.
- Sinclair LV, Finlay D, Feijoo C, Cornish GH, Gray A, Ager A, Okkenhaug K, Hagenbeek TJ, Spits H, Cantrell DA. Phosphatidylinositol-3-OH kinase and nutrient-sensing mTOR pathways control T lymphocyte trafficking. *Nat Immunol*. 2008 May; 9(5):513-21.
- Ali K, Bilancio A, Thomas M, Pearce W, Gilfillan AM, Tkaczyk C, Kuehn N, Gray A, Giddings J, Peskett E, Fox R, Bruce I, Walker C, Sawyer C, Okkenhaug K, Finan P, Vanhaesebroeck B. Essential role for the p110delta phosphoinositide 3-kinase in the allergic response. *Nature*. 2004 Oct 21; 431(7011): 1007-11.

**FOR MORE INFORMATION, PLEASE CONTACT:****Paul Resnick, M.D., M.B.A.**

Vice President of Business Development  
paul@intellikine.com  
(858) 768-6527

**Christian Rommel, Ph.D.**

Chief Scientific Officer  
christian@intellikine.com  
(858) 768-6503